

# **Control box** 5057245-02



### **Electrical supply**

#### Main

Voltage 400 V (AC)


Phases 3
Frequency 50 Hz
Current 6 A
Short-circuit capacity 10kA


#### Controls


Internal – no additional supply.


## **Drawings**


80	External connections 510 511	5057245 Sheet 100   Next 101
7	External 510 511	Name Index
9	Circuit diagrams 301 310 311 312	
2		© Customer Customer Customer Drawn FJN Projection
4		Mark Flex Link®
٣	Layouts 101 102 Cabinet builder layouts 111 114 115 116	
2		
-	nde x 100	Date Sign Change
	< m ∪ □ ш	- <del>2</del>














13											576	Sheet 510 Next 511
12			   							Drawing No.	5057245	Sheet 510
11												supply
10											:	Name Zone supply
o										ink	:	Project No. 7220283  Date 04-17-09
80										Department FlexLink	Customer	Drawn FJN Appr.
7											@ 	4
9		3d N									lov Tinl	
2		EZIT ZZIT IZIT OZIX								(		
4												
33		3d N EU1										
2	_	ZIIT IIIT								Change		
L		A001	 							Ngis		
-										Date	$\perp$	
V	< <	m		O	٥	ш	lL.	ပ	I	ž		

