

Roller bridges for product transfer



The roller bridge system provides a very flexible way to assist in the transfer of product on conveyors in a production line.

The system has a modular design and consists of a range of mounting kits to suit different combinations of conveyor drive and Idler unit configuration.

In addition to this a range of different roller bridge modules allows for different options on bridge design to suit a wide range of different applications and products.

There are three main configurations of the bridge available:

Configuration one is supplied for transfer of products between drive and idler unit, with the inclusion of a bracing plate between the drive and idler unit to maintain rigidity of the conveyor transfer

Configuration two is supplied for the transfer of products from a FlexLink conveyor at a machine interface position.

Configuration three is supplied for the transfer of products from a machine onto a FlexLink conveyor.

Note! These transfers are not suitable for Pallet systems

Note! Maximum product weight to be used on this type of transfer is 2 kg

Standard features

- **Safe** – sprung loaded retaining design provides 'pop out' functionality in the event of a product or personnel jam.
- **Radial infeed edge** – allows close integration to drive and idler unit for smoother product transfer.
- **Modular design** – quick and easy interchangeability with ease of assembly and installation.
- **Low friction** – low noise design.
- **Several options** – multi- or single roller design in plastic.

Materials

Support bracket	Stainless steel
roller frame.....	Acetal resin
Pins, washers and bolts	Stainless steel grade 304

Ordering information


The bridges are **available to order in two parts** – the first part is **the roller bridge itself**. The second part of the kit is **the mounting kit** for securing the roller bridge to the conveyor.

Roller bridge modules

2 roller module

The **2 roller** version of bridging module is available in four options. The width of the module is 85 mm.

Note. Remember to order **the mounting kit** for securing the roller bridge to the conveyor.



2 roller module




2 roller module
Single plastic roller (acetal resin), with ball bearing on shaft

8042288



8042286







8042287

3 roller module

The **3 roller** version of bridging module is available in four options. There are two width options on the module and they are available in either 85 mm or 115 mm.


Note. Remember to order **the mounting kit** for securing the roller bridge to the conveyor.



5 roller module

The 5 roller version of bridging module is available in four options. There are two width options on the module and they are available in either 85 mm or 115 mm.

Note! Remember to order the mounting kit for securing the roller bridge to the conveyor.



5 roller module



5 roller module
Single plastic roller (acetal resin), with ball bearing on shaft
Width 85 mm
Width 115 mm

8042300
8042304

5 roller module



5 roller module
Multiple rollers in low noise material (acetal resin)
Width 85 mm
Width 115 mm

8042298
8042302

5 roller module



5 roller module
Single plastic roller in low noise material (acetal resin)
Width 85 mm
Width 115 mm


8042299
8042303

XS roller module

The XS roller version of bridging module is available with multiple rollers only.

Note! Remember to order the mounting kit for securing the roller bridge to the conveyor.

XS roller module



XS roller module
Multiple rollers in low noise
material (acetal resin)
Width 45mm


8042313

Roller bridge configurations

Bridge mounting kits, XS

Drive unit – machine


XSEB HL/HR – machine



XSEB HL/HR – machine
L = 333 mm **8042251**
Mounting kits and bridge options **8042313**


Drive unit – idler unit

XSEB HL/HR – XSEJ 200




XSEB HL/HR – XSEJ 200
L = 563 mm **8042254**
Mounting kits and bridge options
(2 pcs required) **8042313**

XSEB HLP/HRP – machine



XSEB HLP/HRP – machine
L = 333 mm **8042252**
Mounting kits and bridge options **8042313**


XSEB HLP / HRP – XSEJ 200



XSEB HLP / HRP – XSEJ 200
L = 563 mm **8042255**
Mounting kits and bridge options
(2 pcs required) **8042313**

Idler unit – machine

XSEJ 200 – machine




XSEJ 200 – machine
L = 230 mm **8042253**
Mounting kits and bridge options **8042313**

Bridge mounting kits, XL

Drive unit – machine


XLEB HL/HR – machine



XLEB HL/HR – machine
L = 326 mm **8042256**

Mounting kits and bridge options:
Multiple rollers in low noise material **8042290**
Single plastic roller in low noise material **8042291**
Single plastic roller, ball bearing **8042292**


XLEB MNLP/MNRP – machine S



XLEB MNLP/MNRP – machine
L = 270 mm **8042259**

Mounting kits and bridge options:
Multiple rollers in low noise material **8042290**
Single plastic roller in low noise material **8042291**
Single plastic roller, ball bearing **8042292**


XLEB HLP/HRP – machine



XLEB HLP/HRP – machine
L = 326 mm **8042257**

Mounting kits and bridge options:
Multiple rollers in low noise material **8042290**
Single plastic roller in low noise material **8042291**
Single plastic roller, ball bearing **8042292**


XLEB HNLP/HNRP – machine



XLEB HNLP/HNRP – machine
L = 326 mm **8044471**

Mounting kits and bridge options:
Multiple rollers in low noise material **8042290**
Single plastic roller in low noise material **8042291**
Single plastic roller, ball bearing **8042292**

XLEB CNLP/CNRP – machine




XLEB CNLP/CNRP – machine
L = 270 mm **8042258**

Mounting kits and bridge options:
Multiple rollers in low noise material **8042290**
Single plastic roller in low noise material **8042291**
Single plastic roller, ball bearing **8042292**

Bridge mounting kits – Idler unit - machine

XLEJ 320 – machine




XLEJ 320 – machine
L = 326 mm **8042260**

Mounting kits and bridge options:
Multiple rollers in low noise material **8042290**
Single plastic roller in low noise material **8042291**
Single plastic roller, ball bearing **8042292**

Bridge mounting kits, XL (continued)


XLEJ 200 S – machine



XLEJ 200 S – machine
L = 216 mm **8042261**

Mounting kits and bridge options:
Multiple rollers in low noise material **8042286**
Single plastic roller in low noise material **8042287**
Single plastic roller, ball bearing **8042288**

XLEB HL/HR – XLEJ 200 S




XLEB HLP/HRP – XLEJ 320
L = 534 mm **8042264**

Mounting kits and bridge options:
Multiple rollers in low noise material **8042286***
Single plastic roller in low noise material **8042287***
Single plastic roller, ball bearing **8042288***

**Note! 2 pcs required*

Drive unit – idler unit

XLEB HL/HR – XLEJ 320




XLEB HL/HR – XLEJ 320
L = 655 mm **8042262**

Mounting kits and bridge options:
Multiple rollers in low noise material **8042290***
Single plastic roller in low noise material **8042291***
Single plastic roller, ball bearing **8042292***

**Note! 2 pcs required*

XLEB HLP/HRP – XLEJ 200 S




XLEB HLP/HRP – XLEJ 200 S
L = 534 mm **8042265**

Mounting kits and bridge options:
Multiple rollers in low noise material **8042286***
Single plastic roller in low noise material **8042287***
Single plastic roller, ball bearing **8042288***

**Note! 2 pcs required*

XLEB HLP/HRP – XLEJ 320




XLEB HLP/HRP – XLEJ 320
L = 655 mm **8042263**

Mounting kits and bridge options:
Multiple rollers in low noise material **8042290***
Single plastic roller in low noise material **8042291***
Single plastic roller, ball bearing **8042292***

**Note! 2 pcs required*

XLEB CNLP/CNRP – XLEJ 320



XLEB CNLP/CNRP – XLEJ 320
L = 598 mm **8042266**


Mounting kits and bridge options:
Multiple rollers in low noise material **8042290***
Single plastic roller in low noise material **8042291***
Single plastic roller, ball bearing **8042292***

**Note! 2 pcs required*

Bridge mounting kits, XL (continued)

Drive unit – idler unit (continued)

XLEB CNLP/CNRP – XLEJ 200 S




XLEB CNLP/CNRP – XLEJ 200 S
L = 480 mm **8042267**

Mounting kits and bridge options:

Multiple rollers in low noise material	8042286*
Single plastic roller in low noise material	8042287*
Single plastic roller, ball bearing	8042288*

**Note! 2 pcs required*

XLEB HNLP/HNRP – XLEJ 320




XLEB HNLP/HNRP – XLEJ 320
L = 655 mm **8044472**

Mounting kits and bridge options:

Multiple rollers in low noise material	8042290*
Single plastic roller in low noise material	8042291*
Single plastic roller, ball bearing	8042292*

**Note! 2 pcs required*

XLEB MNLP/MNRP – XLEJ 320




XLEB MNLP/MNRP – XLEJ 320
L = 596 mm **8042268**

Mounting kits and bridge options:

Multiple rollers in low noise material	8042290*
Single plastic roller in low noise material	8042291*
Single plastic roller, ball bearing	8042292*

**Note! 2 pcs required*

XLEB HNLP/HNRP – XLEJ 200 S




XLEB HNLP/HNRP – XLEJ 200 S
L = 534 mm **8044473**

Mounting kits and bridge options:

Multiple rollers in low noise material	8042286*
Single plastic roller in low noise material	8042287*
Single plastic roller, ball bearing	8042288*

**Note! 2 pcs required*

XLEB MNLP/MNRP – XLEJ 200 S



XLEB MNLP/MNRP – XLEJ 200 S
L = 480 mm **8042269**

Mounting kits and bridge options:

Multiple rollers in low noise material	8042286*
Single plastic roller in low noise material	8042287*
Single plastic roller, ball bearing	8042288*


**Note! 2 pcs required*

Bridge mounting kits, X65

NOTE! - not suitable for X65P Pallet system

Drive unit – machine

XLEB A65HL/HR – machine




XLEB A65HL/HR – machine
L = 326 mm

8042256

Mounting kits and bridge options:

Multiple rollers in low noise material **8042290**
Single plastic roller in low noise material **8042291**
Single plastic roller, ball bearing **8042292**

XLEB A65MNLP/MNRP – machine S




XLEB A65MNLP/MNRP – machine
L = 270 mm

8042259

Mounting kits and bridge options:

Multiple rollers in low noise material **8042290**
Single plastic roller in low noise material **8042291**
Single plastic roller, ball bearing **8042292**

XLEB A65 HLP/HRP – machine




XLEB A65HLP/HRP – machine
L = 326 mm

8042257

Mounting kits and bridge options:

Multiple rollers in low noise material **8042290**
Single plastic roller in low noise material **8042291**
Single plastic roller, ball bearing **8042292**

XLEB A65 HNLP/HNRP – machine




XLEB A65HNLP/HNRP – machine
L = 326 mm

8044471

Mounting kits and bridge options:

Multiple rollers in low noise material **8042290**
Single plastic roller in low noise material **8042291**
Single plastic roller, ball bearing **8042292**

XLEB A65 CNLP/CNRP – machine



XLEB A65CNLP/CNRP – machine
L = 270 mm


8042258

Mounting kits and bridge options:

Multiple rollers in low noise material **8042290**
Single plastic roller in low noise material **8042291**
Single plastic roller, ball bearing **8042292**

Bridge mounting kits – Idler unit - machine

XLEJ A65 – machine



XLEJ A65 – machine
L = 326 mm


8042260

Mounting kits and bridge options:

Multiple rollers in low noise material **8042290**
Single plastic roller in low noise material **8042291**
Single plastic roller, ball bearing **8042292**

Bridge mounting kits, X65 (continued)


XLEJ A65 S – machine



XLEJ A65 S – machine
L = 216 mm **8042261**

Mounting kits and bridge options:
 Multiple rollers in low noise material **8042286**
 Single plastic roller in low noise material **8042287**
 Single plastic roller, ball bearing **8042288**

XLEB A65HL/HR – XLEJ A65 S




XLEB A65HLP/HRP – XLEJ A65 S
L = 534 mm **8042264**

Mounting kits and bridge options:
 Multiple rollers in low noise material **8042286***
 Single plastic roller in low noise material **8042287***
 Single plastic roller, ball bearing **8042288***
**Note! 2 pcs required*

Drive unit – idler unit


XLEB A65HL/HR – XLEJ A65



XLEB A65HL/HR – XLEJ A65
L = 655 mm **8042262**

Mounting kits and bridge options:
 Multiple rollers in low noise material **8042290***
 Single plastic roller in low noise material **8042291***
 Single plastic roller, ball bearing **8042292***
**Note! 2 pcs required*


XLEB A65HLP/HRP – XLEJ A65 S



XLEB A65HLP/HRP – XLEJ A65 S
L = 534 mm **8042265**

Mounting kits and bridge options:
 Multiple rollers in low noise material **8042286***
 Single plastic roller in low noise material **8042287***
 Single plastic roller, ball bearing **8042288***
**Note! 2 pcs required*


XLEB A65HLP/HRP – XLEJ A65



XLEB A65HLP/HRP – XLEJ A65
L = 655 mm **8042263**

Mounting kits and bridge options:
 Multiple rollers in low noise material **8042290***
 Single plastic roller in low noise material **8042291***
 Single plastic roller, ball bearing **8042292***
**Note! 2 pcs required*

XLEB A65CNLP/CNRP – XLEJ A65




XLEB A65CNLP/CNRP – XLEJ A65
L = 598 mm **8042266**

Mounting kits and bridge options:
 Multiple rollers in low noise material **8042290***
 Single plastic roller in low noise material **8042291***
 Single plastic roller, ball bearing **8042292***
**Note! 2 pcs required*

Bridge mounting kits, X65 (continued)

Drive unit – idler unit (continued)

XLEB A65CNLP/CNRP – XLEJ A65 S




XLEB A65CNLP/CNRP – XLEJ A65 S
L = 480 mm **8042267**

Mounting kits and bridge options:

Multiple rollers in low noise material	8042286*
Single plastic roller in low noise material	8042287*
Single plastic roller, ball bearing	8042288*

**Note! 2 pcs required*

XLEB A65HNLP/HNRP – XLEJ A65



XLEB A65HNLP/HNRP – XLEJ A65
L = 655 mm **8044472**

Mounting kits and bridge options:

Multiple rollers in low noise material	8042290*
Single plastic roller in low noise material	8042291*
Single plastic roller, ball bearing	8042292*

**Note! 2 pcs required*

XLEB A65MNLP/MNRP – XLEJ A65




XLEB A65MNLP/MNRP – XLEJ A65
L = 596 mm **8042268**

Mounting kits and bridge options:

Multiple rollers in low noise material	8042290*
Single plastic roller in low noise material	8042291*
Single plastic roller, ball bearing	8042292*

**Note! 2 pcs required*

XLEB A65 HNLP/HNRP – XLEJ A65 S




XLEB A65HNLP/HNRP – XLEJ A65 S
L = 534 mm **8044473**

Mounting kits and bridge options:

Multiple rollers in low noise material	8042286*
Single plastic roller in low noise material	8042287*
Single plastic roller, ball bearing	8042288*

**Note! 2 pcs required*

XLEB A65 MNLP/MNRP – XLEJ A65 S



XLEB A65MNLP/MNRP – XLEJ A65 S
L = 480 mm **8042269**

Mounting kits and bridge options:

Multiple rollers in low noise material	8042286*
Single plastic roller in low noise material	8042287*
Single plastic roller, ball bearing	8042288*


**Note! 2 pcs required*

Bridge mounting kits, X85

NOTE! - not suitable for X85P Pallet system

Drive unit – idler unit

XBEB 0A85 HL/HR – XBEJ A85



XBEB 0A85 HL/HR – XBEJ A85

L = 650 mm

8044532

Mounting kits and bridge options:

Multiple rollers in low noise material

8042294*

Single plastic roller in low noise material


8042295*

Single plastic roller, ball bearing

8042296*

**Note! 2 pcs required*

XBEB 0A85 HLP/HRP – XBEJ A85 S



XBEB 0A85 HLP/HRP – XBEJ A85 S

L = 655 mm

8044535

Mounting kits and bridge options:

Multiple rollers in low noise material

8042294*

Single plastic roller in low noise material


8042295*

Single plastic roller, ball bearing

8042296*

**Note! 2 pcs required*

XBEB 0A85 HL/HR – XBEJ A85 S



XBEB 0A85 HL/HR – XBEJ A85 S

L = 655 mm

8044533

Mounting kits and bridge options:

Multiple rollers in low noise material

8042294*

Single plastic roller in low noise material

8042295*


Single plastic roller, ball bearing

8042296*

**Note! 2 pcs required*

Drive unit – machine

XBEB 0A85 HL/HR – machine



XBEB 0A85 HL/HR – machine

L = 324 mm

8044488

Mounting kits and bridge options:

Multiple rollers in low noise material

8042294*

Single plastic roller in low noise material


8042295*

Single plastic roller, ball bearing

8042296*

**Note! 2 pcs required*

XBEB 0A85 HLP/HRP – XBEJ A85



XBEB 0A85 HLP/HRP – XBEJ A85

L = 650 mm

8044534

Mounting kits and bridge options:

Multiple rollers in low noise material

8042294*

Single plastic roller in low noise material


8042295*

Single plastic roller, ball bearing

8042296*

**Note! 2 pcs required*

XBEB 0A85 HLP/HRP – machine



XBEB 0A85 HLP/HRP – machine

L = 324 mm

8044489

Mounting kits and bridge options:

Multiple rollers in low noise material

8042294*

Single plastic roller in low noise material

8042295*

Single plastic roller, ball bearing


8042296*

**Note! 2 pcs required*

Bridge mounting kits, X85 (continued)

Idler unit – machine

XBEJ A85 – machine



XBEJ A85 – machine

L = 324 mm

8044530

Mounting kits and bridge options:

Multiple rollers in low noise material

8042294


Single plastic roller in low noise material

8042295

Single plastic roller, ball bearing

8042296

XBEJ A85 S – machine



XBEJ A85 S – machine

L = 330 mm

8044531

Mounting kits and bridge options:

Multiple rollers in low noise material

8042294

Single plastic roller in low noise material

8042295


Single plastic roller, ball bearing

8042296

Bridge mounting kits, XH

Drive unit – machine

XHEB HL/HR – machine



XHEB HL/HR – machine


L = 352 mm

8042270

Mounting kits and bridge options:

Multiple rollers in low noise material **8042302**
 Single plastic roller in low noise material **8042303**
 Single plastic roller, ball bearing **8042304**

XHEB HLP/HRP – machine



XHEB HLP/HRP – machine


L = 352 mm

8042271

Mounting kits and bridge options:

Multiple rollers in low noise material **8042302**
 Single plastic roller in low noise material **8042303**
 Single plastic roller, ball bearing **8042304**

XHEB HNRP/HNLP – machine



XHEB HNRP/HNLP – machine

L = 352 mm


8042272

Mounting kits and bridge options:

Multiple rollers in low noise material **8042302**
 Single plastic roller in low noise material **8042303**
 Single plastic roller, ball bearing **8042304**

Idler unit - machine

XHEJ 325 – machine



XHEJ 325 – machine

L = 352 mm

8042273


Mounting kits and bridge options:

Multiple rollers in low noise material **8042302**
 Single plastic roller in low noise material **8042303**
 Single plastic roller, ball bearing **8042304**

Bridge mounting kits, XH (continued)

Drive unit – idler unit

XHEB HL/HR – XHEJ 325



XHEB HL/HR – XHEJ 325

L = 668 mm

8042274

Mounting kits and bridge options:


Multiple rollers in low noise material **8042294***

Single plastic roller in low noise material **8042295***

Single plastic roller, ball bearing **8042296***

**Note! 2 pcs required*

XHEB HLP/HRP – XHEJ 325



XHEB HLP/HRP – XHEJ 325

L = 668 mm

8042275

Mounting kits and bridge options:


Multiple rollers in low noise material **8042294***

Single plastic roller in low noise material **8042295***

Single plastic roller, ball bearing **8042296***

**Note! 2 pcs required*

XHEB HNRP/HNLP – XHEJ 325



XHEB HNRP/HNLP – XHEJ 325

L = 668 mm

8042276

Mounting kits and bridge options:

Multiple rollers in low noise material **8042294***

Single plastic roller in low noise material **8042295***

Single plastic roller, ball bearing **8042296***


**Note! 2 pcs required*

Bridge mounting kits, XK

NOTE! - not suitable for XKP Pallet system

Drive unit – machine

XKEB HL/HR – machine



XKEB HL/HR – machine
L = 376 mm


8042277

Mounting kits and bridge options:

Multiple rollers in low noise material **8042302**
Single plastic roller in low noise material **8042303**
Single plastic roller, ball bearing **8042304**

Drive unit – idler unit

XKEB HL/HR – XKEJ 350



XKEB HL/HR – XKEJ 350
L = 722 mm


8042280

Mounting kits and bridge options:

Multiple rollers in low noise material **8042294***
Single plastic roller in low noise material **8042295***
Single plastic roller, ball bearing **8042296***

**Note! 2 pcs required*

XKEB LP/RP – machine




XKEB LP/RP – machine
L = 376 mm

8042278

Mounting kits and bridge options:

Multiple rollers in low noise material **8042302**
Single plastic roller in low noise material **8042303**
Single plastic roller, ball bearing **8042304**

XKEB LP/RP – XKEJ 350



XKEB LP/RP – XKEJ 350
L = 722 mm

8042281


Mounting kits and bridge options:

Multiple rollers in low noise material **8042294***
Single plastic roller in low noise material **8042295***
Single plastic roller, ball bearing **8042296***

**Note! 2 pcs required*

Idler unit – machine

XKEJ 350 – machine



XKEJ 350 – machine
L = 376 mm

8042279


Mounting kits and bridge options:

Multiple rollers in low noise material **8042302**
Single plastic roller in low noise material **8042303**
Single plastic roller, ball bearing **8042304**

Bridge mounting kits, X180/X300

Drive unit – machine

XBEB A180LP/RP – machine



XBEB A180LP/RP – machine
L = 342 mm


8042282

Mounting kits and bridge options:

Multiple rollers in low noise material **8042298***
Single plastic roller in low noise material **8042299***
Single plastic roller, ball bearing **8042300***

**Note! 2 pcs required*

XBEB A300 LP/RP – machine



XBEB A300 LP/RP – machine
L = 342 mm


8042283

Mounting kits and bridge options:

Multiple rollers in low noise material **8042298+**
8042302*
Single plastic roller in low noise material **8042299+**
8042303*
Single plastic roller, ball bearing **8042300+**
8042304*

**Note! 2 pcs required*

XBEB A180 HLP/HRP – machine



XBEB A180 HLP/HRP – machine
L = 342 mm


8044474

Mounting kits and bridge options:

Multiple rollers in low noise material **8042298***
Single plastic roller in low noise material **8042299***
Single plastic roller, ball bearing **8042300***

**Note! 2 pcs required*

XBEB A300 HLP/HRP – machine



XBEB A300 HLP/HRP – machine
L = 342 mm

8044475

Mounting kits and bridge options:


Multiple rollers in low noise material **8042298+**
8042302*
Single plastic roller in low noise material **8042299+**
8042303*
Single plastic roller, ball bearing **8042300+**
8042304*

**Note! 2 pcs required*

Bridge mounting kits, X180/X300 (continued)

Idler unit – machine

XBEJ A180 – machine



XBEJ A180 – machine

L = 342 mm

8042284

Mounting kits and bridge options:

Multiple rollers in low noise material

8042298*

Single plastic roller in low noise material


8042299*

Single plastic roller, ball bearing

8042300*

**Note! 2 pcs required*

XBEJ 300 – machine



XBEJ 300 – machine

L = 342 mm

8042285

Mounting kits and bridge options:

Multiple rollers in low noise material

8042298+

8042302*

Single plastic roller in low noise material

8042299+

8042303*

Single plastic roller, ball bearing

8042300+


8042304*

**Note! 2 pcs required*

Bridge mounting kits, X85X

Drive unit – machine

XBEBX A85 – machine



XBEX A85 – machine
L = 330 mm


8043641

Mounting kits and bridge options:

Single plastic roller in low noise material **8042295**

Idler unit – machine

XBEJX A85 – machine




XBEJX A85 – machine
L = 317 mm

8043642

Mounting kits and bridge options:

Single plastic roller in low noise material **8042295**

XBEJX A85 S – machine



XBEJX A85 S – machine
L = 150 mm

8043643


Mounting kits and bridge options:

Single plastic roller in low noise material **8042295**

Bridge mounting kits, X180X

Drive unit – machine

XBEX A180 – machine



XBEX A180 – machine
L = 330 mm


8043644

Mounting kits and bridge options:

Single plastic roller in low noise material **8042295+**
8042291

Idler unit – machine

XBEJX A180 – machine




XBEJX A180 – machine
L = 317 mm

8043645

Mounting kits and bridge options:

Single plastic roller in low noise material **8042295+**
8042291

XBEJX A180 S – machine



XBEJX A180 S – machine
L = 150 mm

8043646


Mounting kits and bridge options:

Single plastic roller in low noise material **8042295+**
8042291

Bridge mounting kits, X300X

Drive unit – machine

XBEBX A300 – machine



XBEX A300 – machine
L = 333 mm

8043647

Mounting kits and bridge options:


Single plastic roller in low noise material

8042291+
8042295*

**Note! 2 pcs required*

Idler unit – machine

XBEJX A300 – machine



XBEJX A300 – machine
L = 317 mm

8043648


Mounting kits and bridge options:

Single plastic roller in low noise material

8042291+
8042295*

**Note! 2 pcs required*

XBEJX A300 S – machine



XBEJX A300 S– machine
L = 150 mm

8043649

Mounting kits and bridge options:

Single plastic roller in low noise material

8042291+
8042295*

**Note! 2 pcs required*